INDEX TO AUTHORS

A

Adams, Mildred. An investigation of the conditions influencing the use of the citric acid enzyme in cucumber seeds as a means of quantitatively determining the presence of citric acid, lxxiv

Allison, Catherine B. See HUBBARD, MUNFORD, TYNER, and ALLISON, xxix

Amsden, Maurice R. See LUCK and AMSDEN, lxv

Anderson, R. J. See PANGBORN and ANDERSON, xxxii

Andrews, James C. See BERGMANN, ANDREWS, and ANDREWS, xxxvii

Andrews, Kathleen Crandall. See BERGMANN, ANDREWS, and ANDREWS, xxxvii

Austin, W. C., Smalley, C. J., and Sankstone, M. I. Changes of *l*-arabinose and *d*-xylose under the influence of dilute alkali, xviii

B

Baker, Reginald W. See BING and BAKER, lxxiii, 589

Barron, E. S. Guzman. The rate of autoxidation of oxidation-reduction systems and its relation to their free energy, xlvi

Bates, Robert W. Studies on the trypsinogen-enterokinase system, lxxvii

Baumann, Emil J. Inorganic salt metabolism during involution of simple goiter, lxxx

Beard, Howard H. The relationship between increase in body weight and hemoglobin after iron therapy in nutritional anemia of the rat, lxxxix

— and **Myers, Victor C.** The action of iron and iron supplemented with other elements upon the reticulocyte and red blood cell response in the nutritional anemia of the rat, lxii

Behre, Jeanette Allen. Studies in ketone body excretion. I. Daily variations in the ketone bodies of normal urine and the ketonuria of short fasts, with a note on diabetic ketonuria during insulin treatment, 679

—. See BENEDICT and BEHRE, 161

Benedict, Stanley R. The analysis of whole blood. I. The precipitation of the proteins, 135

—. II. The determination of sugar and of saccharoids (nonfermentable copper-reducing substances), 141

— and **Behre, Jeanette Allen.** The analysis of whole blood. III. Determination and distribution of uric acid, 161

Bercovici, I. See MORGULIS, 377

Bergmann, Max, Andrews, James C., and **Andrews, Kathleen Crandall.** The decomposition of cystine phenylhydantoin, xxxvii

Bernheim, Frederick, and **Bernheim, Mary L. C.** Pyrrole as a catalyst for certain biological oxidations, 461

Bernheim, Mary L. C. See BERNHEIM and BERNHEIM, 461

Bethke, R. M. See KRAUSS and BETHKE, x

Bills, Charles E., Honeywell, Edna M., and **Cox, Warren M., Jr.** Influence of solvents on the activation of ergosterol, 601

Bing, Franklin C., and **Baker, Reginald W.** The determination of hemoglobin in minute amounts of blood by Wu's method, 589

— and —. The pseudoperoxidase method of Wu for the determination of minute amounts of hemoglobin, lxxiii

Bischoff, Fritz, Maxwell, L. C., and **Ullmann, H. J.** Hormones in cancer. III. Effect of glandular extirpation, lxxx

—. See KOEHLER, BISCHOFF, and HILL, li

Blatherwick, N. R., Medlar, E. M., Connolly, J. M., and **Bradshaw, Phoebe J.** Nephritis in unilaterally nephrectomized white rats living upon high protein diets, lxxxiv

Block, Richard J., and **Jackson, Richard W.** Derivatives of thiopyruvic acid in connection with a diet deficient in cystine, xci

Bodansky, Aaron, and **Jaffe, Henry L.** Plasma phosphatase in experimental hyperparathyroidism, xvi

Bodo, R. C., and **Neuwirth, Isaac.** The relation of insulin to liver glycogen, xxv

Borsook, Henry, and **Schott, Hermann F.** The free energy, heat, and entropy of formation of *l*-malic acid, 559

— and —. The rôle of the enzyme in the succinate-enzyme-fumarate equilibrium, 535

Bradley, H. C. See TORBET and BRADLEY, lxxvii

Bradshaw, Phoebe J. See BLATHERWICK, MEDLAR, CONNOLLY, and BRADSHAW, lxxxiv

Brand, Erwin, and **Harris, Meyer M.** On the origin of creatine. III, lix

Branion, H. D., Guyatt, B. L., and Kay, H. D. Beryllium rickets, xi

Brode, Wallace R., and Magill, Mary A. A critical study of the antimony trichloride color test for vitamin A, 87

Brown, Helen Bennett. See Shohl, Brown, Rose, Smith, and Cozad, x, 711

Brown, J. B. The content and nature of the highly unsaturated fatty acids of the human brain, lxxxviii

Buchwald, K. W., and Cori, Carl F. The action of epinephrine and insulin in frogs under anaerobic conditions, 355

—. See Cori and Buchwald, 367

Bugher, John C. A quinhydrone-collodion electrode of special applicability in experimental pathology, 513

Burk, Norval F. The molecular weight of serum albumin estimated by osmotic pressure measurements, xl

Burr, George O., Burr, Mildred M., and Miller, E. S. On the fatty acids essential in nutrition, xxxvi

Burr, Mildred M. See Burr, Burr, and Miller, xxxvi

Butts, J. S. See Deuel, Gulick, and Butts, xxiii

C

Calhoun, J. A. See Cullen, Harrison, Calhoun, Wilkins, and Pilcher, iv

Campbell, Percy A. See Holmes, Pigott, and Campbell, 187

Catherwood, Florence L. See Rose, Ellis, Windus, and Catherwood, lxvi

Chakmakjian, H. H. See Reis and Chakmakjian, 59

Chanutin, Alfred, Ferris, Eugene B., and Wood, J. Edwin. Studies in experimental kidney insufficiency, lxxxii

Charles, A. F., and Scott, D. A. Action of acid alcohol on insulin, 289

Chase, Lillian A. Some peculiarities of the insulin reaction in humans, liii

Chesley, L. C. The validity of the viscometric and Wohlgemuth methods for the quantitative determination of amylase, 171

Chobot, Robert. See Stull, Cooke, and Chobot, 569

Cohn, Edwin J., McMeekin, Thomas L., Edsall, John T., and Weare, John H. The electrical forces in systems containing biological components. I. The solubility of aliphatic amino acids in alcohol-water mixtures containing neutral salts, xliv

Cole, Versa V. A study on the phosphorus distribution in rat striated muscle as influenced by age, diet, and irradiated ergosterol, xv

Cole, W. M. See Nelson and Cole, xxviii

Connolly, J. M. See BLATHERWICK, MEDLAR, CONNOLLY, and BRADSHAW, lxxxiv

Cooke, Robert A. See STULL, COOKE, and CHOBOT, 569

Cooper, Mary A. See QUICK, 65

Cori, Carl F., and **Buchwald, K. W.** The calorigenic action of epinephrine in frogs before and after hepatectomy, 367

— and **Cori, Gerty T.** The influence of epinephrine and insulin on the hexosephosphate content of muscle, lii

—. See BUCHWALD and CORI, 355

Cori, Gerty T. See CORI and CORI, lii

Cortese, Frank. See LEVENE and CORTESE, 53

Cox, Gerald J., Dodds, Mary L., Wigman, Helen B., and **Murphy, F. J.** The effects of high doses of aluminum and iron on phosphorus metabolism, xi

Cox, Warren M., Jr. See BILLS, HONEYWELL, and COX, 601

Cozad, Florence. See SHOHL, BROWN, ROSE, SMITH, and COZAD, x, 711

Csonka, Frank A., and **Jones, D. Breese.** Studies on glutelins, xxxix

Cullen, Glenn E., Harrison, T. R., Calhoun, J. A., Wilkins, W. E., and **Pilcher, Cobb.** The relative importance of the chemical and the reflex control of respiration in the mechanism of cardiac dyspnea, iv

Czarnetzky, E. J., and **Schmidt, Carl L. A.** The apparent dissociation constants of hydroxyvaline, 453

D

Dakin, H. D., and **West, Randolph.** A tribasic acid present in liver, convertible into pyrrole derivatives, 117

D'Amour, F. E. Effect of estrin injections on the anterior lobe, lxxxv

Deuel, Harry J., Jr., Gulick, Margaret, and **Butts, J. S.** The relative antiketogenic value of glucose and galactose, xxiii

Devrient, W. C. See PARFENTJEV, DEVRIENT, and SOKOLOFF, 33

Dill, D. B., and **Edwards, H. T.** Temperature and muscular activity, lxxxvii

Dillon, Robert T. See LEVENE and DILLON, 769

Dodds, Mary L. See COX, DODDS, WIGMAN, and MURPHY, xi

Drabkin, David L., and **Miller, H. K.** The relief of anemia, due to milk diet, by feeding amino acids and related compounds, lxi

Duncan, C. W. See ROBINSON and DUNCAN, 435

van Dyke, H. B., and **Hastings, A. Baird.** Studies of bromide distribution in the blood. II. The distribution of bromides and chlorides in the blood of dogs following the oral administration of sodium bromide, 27

van Dyke, H. B. See HASTINGS and VAN DYKE, 13

E

Eberhard, Harry M., Ricketts, Rowland, Rieger, Charles L. W., and Hepburn, Joseph S. Gastrointestinal temperature studies, lxxxviii

Edsall, John T. See COHN, MCMEEKIN, EDSALL, and WEARE, xliv

Edwards, H. T. See DILL and EDWARDS, lxxxvii

Elderfield, Robert C. See JACOBS and ELDERFIELD, 313

Ellis, N. R. The effect of ingested cottonseed oil on the composition of body fat, xxxv

—, **Rothwell, Carmen S., and Pool, W. O.** The effect of ingested cottonseed oil on the composition of body fat, 385

Ellis, Ruth H. See ROSE, ELLIS, WINDUS, and CATHERWOOD, lxvi

Elvehjem, C. A. See KEMMERER, ELVEHJEM, and HART, 623

Emerson, Oliver H., Kirk, Paul L., and Schmidt, Carl L. A. The apparent dissociation constants of methionine and of isoserine, 449

Evans, Herbert M., and Lepkovsky, Samuel. Beneficial effects of fat in high sucrose diets when the requirements for antineuritic vitamin B and the fat-soluble vitamin are fully satisfied, 615

Everett, Mark R., and Sheppard, Fay. The ketose of normal urine, xxv

F

Ferris, Eugene B. See CHANUTIN, FERRIS, and WOOD, lxxxii

Field, John. Studies on the starch-iodine reaction, 413

Fleck, Elmer E. See JACOBS and FLECK, 487

Foulger, John H. The use of the Molisch (α-naphthol) reactions in the study of sugars in biological fluids, 345

Freireich, A. Walter. See GETTLER and FREIREICH, 199

Frey, Charles N. See LIGHT, MILLER, and FREY, 47

Freytag, F. C., and Smith, H. Gregg. The unsaponifiable constituents of the liver lipids, xcii

Funk, Casimir, and Harrow, Benjamin. The male hormone, lxx

G

Gaebler, Oliver Henry. Experiments on the diffusibility of plasma proteins, xliii

Garrison, E. Alta. See MORGAN and GARRISON, xciv

Gavin, Gertrude. See MCHENRY and GAVIN, lxxv

Gerwe, E. G. Studies on the spontaneous oxidation of cysteine. II. The autoxidation of cysteine free from iron, 399

Gerwe, E. G. III. The method of action of cyanides and cystine on cysteine oxidation, 525

Gettler, Alexander O., and **Freireich, A. Walter.** Determination of alcoholic intoxication during life by spinal fluid analysis, 199

Graham, Claire E., and **Griffith, Wendell H.** Dietary factors affecting the appetite and growth of rats, lxiii

Green, David E. See MORGULIS and GREEN, xcv

Griffith, Wendell H. See GRAHAM and GRIFFITH, lxiii

Grote, I. W., Jones, Edward G., and **Kamm, Oliver.** The antidiuretic activity of posterior pituitary extracts. II. A comparative quantitative study of the effect upon mice and men, xcv

—. See KAMM, GROTE, and ROWE, lxix

Gulick, Margaret. See DEUEL, GULICK, and BUTTS, xxiii

Gustavson, Reuben G. The occurrence of estrin in the feces of hens, lxxi

Gustus, Edwin L. See JACOBS and GUSTUS, 323

Guyatt, B. L. See BRANION, GUYATT, and KAY, xi

H

Hale, W. S. See TURNER, KANE, and HALE, xiv

Hanke, Martin E. Determination of the pH of whole blood as well as of serum with quinhydrone, xlix

Harris, Meyer M. See BRAND and HARRIS, lix

Harrison, E. S. See MAYNARD, HARRISON, and MCCAY, 263

Harrison, T. R. See CULLEN, HARRISON, CALHOUN, WILKINS, and PILCHER, iv

Harrop, George A., Jr., Swingle, W. W., and **Pfiffner, J. J.** Metabolism studies on the adrenal cortical hormone, lvi

Harrow, Benjamin. See FUNK and HARROW, lxx

Hart, E. B. See KEMMERER, ELVEHJEM, and HART, 623

Hartman, Arthur M. The vitamin A content of different grades of alfalfa and timothy hays and of hays cured under various conditions, vii

Hastings, A. Baird, and **van Dyke, H. B.** Studies of bromide distribution in the blood. I. *In vitro* experiments of bromide and chloride distributions, 13

—. See VAN DYKE and HASTINGS, 27

Henriques, O. M. On the carbon dioxide compounds in hemoglobin solutions, 1

Hepburn, Joseph S. See EBERHARD, RICKETTS, RIEGER, and HEPBURN, lxxxviii

Hess, W. C. See SULLIVAN, HESS, and SEBRELL, lxvii

Hill, Edgar S. The effect of iron and cyanides on the spontaneous oxidation of dialuric acid, 471

Hill, Eleanor M., Long, C. N. H., and **Slight, David.** Plasma fats in some cases of mental depression, lxxxi

Hill, Elsie. See KOEHLER, BISCHOFF, and HILL, li

Hitchcock, David I. The isoelectric point of a standard gelatin preparation, xlii

Holmes, Arthur D., Pigott, Madeleine G., and **Campbell, Percy A.** The calcium-phosphorus ratio of the tibiæ of growing chicks, 187

Honeywell, Edna M. See BILLS, HONEYWELL, and COX, 601

Hubbard, Roger S., Munford, Samuel A., Tyner, James, and **Allison, Catherine B.** The alkalinity and phosphate content of the morning urine, xxix

Hunt, Charles H., and **Krauss, W. E.** The influence of the ration of the cow upon the vitamin B and vitamin G content of milk, 631

J

Jackson, Richard W. The effect of mineral oil administration upon the nutritional economy of the vitamin A from butter fat, vii

—. See BLOCK and JACKSON, xci

Jacobs, Walter A., and **Elderfield, Robert C.** Strophanthin. XXII. The correlation of strophanthidin and periplogenin with digitoxigenin and gitoxigenin, 313

— and **Fleck, Elmer E.** The partial dehydrogenation of ursolic acid, 487

Jacobs, Walter A., and **Gustus, Edwin L.** Strophanthin. XXIII. Ring II of strophanthidin and of related aglucones, 323

Jaffe, Henry L. See BODANSKY and JAFFE, xvi

Johlin, J. M. The action of neutral salts on the optical activity of gelatin, 751

Johnson, Otto. See ST. JOHN and JOHNSON, 41

Johnston, Margaret Woodwell. The specific dynamic response of individuals suffering from disturbances of the hypophysis, xciii

Jones, D. Breese. See CSONKA and JONES, xxxix

—. See NELSON, WALKER, and JONES, vi

Jones, Edward G. See GROTE, JONES, and KAMM, xcv

K

Kamm, Oliver, Grote, I. W., and **Rowe, L. W.** The possibility of interconversion of pituitary hormones and the formation of derived hormones from the β-hormone of the posterior lobe, lxix

—. See GROTE, JONES, and KAMM, xcv

Kane, E. A. See TURNER, KANE, and HALE, xiv

Kay, H. D. See BRANION, GUYATT, and KAY, xi

Kemmerer, A. R., Elvehjem, C. A., and **Hart, E. B.** Studies on the relation of manganese to the nutrition of the mouse, 623

Kendall, Edward C. A chemical study of the active constituents of the suprarenal gland, lvi

Kik, M. C. See SURE, SMITH, KIK, and WALKER, viii

Kirk, Paul L. See EMERSON, KIRK, and SCHMIDT, 449

Kleiner, Israel S. See TAUBER and KLEINER, 177

Kletzien, S. W. F., Thomas, B. H., Templin, V. M., and Steenbock, H. Vitamin D and calcium conservation in the adult rat, ix

Knowlton, G. Clinton. See STEARNS and KNOWLTON, xii, 639

Koehler, Alfred E., Bischoff, Fritz, and Hill, Elsie. Metabolic effects of prolonged administration of epinephrine, li

Kozlowska, M. S., and McCay, C. M. A new technique for determining the dietary factors that influence the secretion of milk in laboratory animals, lxiii

Krauss, W. E., and Bethke, R. M. Effect on the vitamin D content of milk of feeding irradiated ergosterol to cows, x

—. See HUNT and KRAUSS, 631

Kriss, Max. See SMITH, YUDKIN, KRISS, and ZIMMERMAN, xcii

Kutz, R. L. Methods for analysis of tissue for certain inorganic constituents, lxxii

L

Laughton, N. B., Macallum, A. Bruce, Rabinowitch, I. M., and Watson, E. M. Further observation on action of duodenal extract on blood sugar, xx

Lepkovsky, Samuel. See EVANS and LEPKOVSKY, 615

Levene, P. A., and Cortese, Frank. Synthetic nucleosides. III. Theophylline-*d*-glucodesoside, 53

— and **Dillon, Robert T.** γ-Glucoside of 3-methyl-*d*-glucose, 769

— and **Marker, R. E.** Configurational relationship of hydrocarbons. III. The optical rotations of the hydrocarbons of the series methylisobutylmethane, 455

— and **Meyer, G. M.** The ring structure of diacetone galactose, 257

— and **Raymond, Albert L.** Hexosemonophosphates. Galactose-6-phosphate, 765

— and —. Hexosemonophosphates. Synthetic Robison ester, 757

— and **Tipson, R. Stuart.** Acetyl monoses. VII. The isomeric triacetyl-1-methyl-*d*-ribosides, 109

Lewis, Howard B. See SHAMBAUGH, LEWIS, and TOURTELLOTTE, 499

Light, Robert F., Miller, Glennard E., and Frey, Charles N. Studies on the effects of overdosage of vitamin D. II, 47

Long, C. N. H. See HILL, LONG, and SLIGHT, lxxxi

Luck, James Murray, and **Amsden, Maurice R.** Stimulation of endogenous protein metabolism by amino acids, lxv

M

Macallum, A. Bruce. See LAUGHTON, MACALLUM, RABINOWITCH, and WATSON, xx

Magill, Mary A. See BRODE and MAGILL, 87

Marker, R. E. See LEVENE and MARKER, 455

Matthews, C. W. See TURNER and MATTHEWS, lxxxviii

Mattill, H. A. See OLCOVICH and MATTILL, xxxi

Maxwell, L. C. See BISCHOFF, MAXWELL, and ULLMANN, lxxx

Maynard, L. A., Harrison, E. S., and **McCay, C. M.** The changes in the total fatty acids, phospholipid fatty acids, and cholesterol of the blood during the lactation cycle, 263

—. See MCCAY and MAYNARD, 273

McCay, C. M., and **Maynard, L. A.** The interrelationship between the dietary fat and the phosphorus distribution in the blood of lactating cows, 273

—. See KOZLOWSKA and MCCAY, lxiii

—. See MAYNARD, HARRISON, and MCCAY, 263

McClendon, J. F. The relation of glucose to water retention, xix

McCollum, E. V., and **Orent, Elsa R.** Effects on the rat of deprivation of magnesium, xxx

—. See ORENT and MCCOLLUM, 651

McCullagh, D. Roy. The technique and interpretation of blood phosphate curves after glucose administration, xvi

McHenry, E. W., and **Gavin, Gertrude.** Further studies on histaminase, lxxv

McMeekin, Thomas L. See COHN, MCMEEKIN, EDSALL, and WEARE, xliv

Medlar, E. M. See BLATHERWICK, MEDLAR, CONNOLLY, and BRADSHAW, lxxxiv

Meyer, G. M. See LEVENE and MEYER, 257

Michaelis, L. The formation of semiquinones as intermediary reduction products from pyocyanine and some other dyestuffs, 211

Miller, E. S. See BURR, BURR, and MILLER, xxxvi

Miller, Glennard E. See LIGHT, MILLER, and FREY, 47

Miller, H. K. See DRABKIN and MILLER, lxi

Miller, Lila. See MITCHELL and MILLER, 421

Mitchell, Helen S., and **Miller, Lila.** Studies in nutritional anemia. Quantitative variations in iron, copper, and manganese supplements, 421

Morgan, Agnes Fay, and **Garrison, E. Alta.** The effect of the calcium and phosphorus content of the diet and of vitamin D upon response to parathyroid extract, xciv

Morgulis, Sergius. Studies on the inactivation of catalase. III. Destruction of catalase by hydrogen peroxide, 377

— and **Green, David E.** Effect of sulfhydryl compounds on the rate of regeneration in *Podarke obscura*, xcv

Morse, Withrow. Chemistry of the integument. I. Protein behavior immediately post mortem, xxxix

Munday, Betty. See SEIBERT and MUNDAY, lxvii

Munford, Samuel A. See HUBBARD, MUNFORD, TYNER, and ALLISON, xxix

Muntwyler, Edward, and **Myers, Victor C.** Sources of error in employing the Cullen correction with the colorimetric method of estimating plasma pH, xlviii

—, —, and **Way, Charles T.** The distribution of chloride and bicarbonate between plasma and cells in the blood of various pathological conditions, 721

—, **Rose, Embree R.,** and **Myers, Victor C.** The distribution of chloride and bicarbonate between plasma and cells in the blood of various pathological subjects, xc

Muntwyler, Edward, Way, Charles T., and **Pomerene, Elizabeth.** A comparison of the chloride and bicarbonate concentrations between plasma and spinal fluid and plasma and ascitic fluid in reference to the Donnan equilibrium, 733

Murlin, John R. See PIERCE, NASSET, and MURLIN, lxxvi

Murphy, F. J. See COX, DODDS, WIGMAN, and MURPHY, xi

Musgrave, Forrest F. See YOUNG and MUSGRAVE, li

Myers, Victor C. See BEARD and MYERS, lxii

—. See MUNTWYLER and MYERS, xlviii

—. See MUNTWYLER, MYERS, and WAY, 721

—. See MUNTWYLER, ROSE, and MYERS, xc

N

Nasset, E. S. See PIERCE, NASSET, and MURLIN, lxxvi

Nelson, C. Ferdinand, and **Cole, W. M.** The nitrogen content of blood, xxviii

Nelson, E. M., Walker, Reed, and **Jones, D. Breese.** Determination of vitamin A by a preventive method, vi

Nelson, J. M., and **Palmer, A. H.** Some properties of yeast invertase, lxxviii

Neuwirth, Isaac. See BODO and NEUWIRTH, xxv

O

Oberst, W. Fred, and **Plass, E. D.** The relation between the serum calcium, protein, and inorganic phosphorus in early and late pregnancy, during parturition and the puerperium, and in non-pregnant women, xiii

O'Brien, Helen. See STADIE and O'BRIEN, xxvii

Olcovich, H. S., and **Mattill, H. A.** Isolation of the natural antioxidant of lettuce, xxxi

Orent, Elsa R., and **McCollum, E. V.** Effects of deprivation of manganese in the rat, 651

—. See MCCOLLUM and ORENT, xxx

Ort, John M., and **Roepke, Martin H.** Active glucose. The rate of its formation as a factor in determining the speed of glucose oxidation, xix

P

Palmer, A. H. See NELSON and PALMER, lxxviii

Pangborn, Mary C., and **Anderson, R. J.** Chemical investigations of the lipoids of the timothy bacillus, xxxii

Parfentjev, I. A., Devrient, W. C., and **Sokoloff, B. F.** The influence of sodium taurocholate and copper sulfate on lipase, 33

Parsons, Helen T. Further observations on egg white injury in the rat, lxiv

Pearce, G. W., and **Streeter, L. R.** A report on the effect of light on pigment formation in apples, 743

Pfiffner, J. J. See HARROP, SWINGLE, and PFIFFNER, lvi

Pierce, H. B., Nasset, E. S., and **Murlin, John R.** The enzymes of a transplanted intestinal loop in the dog, lxxvi

Pigott, Madeleine G. See HOLMES, PIGOTT, and CAMPBELL, 187

Pilcher, Cobb. See CULLEN, HARRISON, CALHOUN, WILKINS, and PILCHER, iv

Plass, E. D. See OBERST and PLASS, xiii

Pomerene, Elizabeth. See MUNTWYLER, WAY, and POMERENE, 733

Pool, W. O. See ELLIS, ROTHWELL, and POOL, 385

Preisler, Paul W. The simultaneous production of thiol acids (R-S-H) and sulfonic acids ($R\text{-}SO_3\text{-}H$) from dithio acids (R-S-S-R) by mercuric bromide and other metallic salts, xxxvi

Q

Quick, Armand J. The conjugation of benzoic acid in man, 65

R

Rabinowitch, I. M. See LAUGHTON, MACALLUM, RABINOWITCH, and WATSON, xx

Raymond, Albert L. See LEVENE and RAYMOND, 757, 765

Reis, Frederick, and **Chakmakjian, H. H.** Colorimetric method for quantitative determination of iron in blood in the form of dispersed Prussian blue, 59

Remington, Roe E. Blood hemoglobin in thyroid enlargement, lxxix

Ricketts, Rowland. See EBERHARD, RICKETTS, RIEGER, and HEPBURN, lxxxviii

Rieger, Charles L. W. See EBERHARD, RICKETTS, RIEGER, and HEPBURN, lxxxviii

Robinson, C. S., and **Duncan, C. W.** The effect of lactose and the acid-base value of the diet on the hydrogen ion concentration of the intestinal contents of the rat and their possible influence on calcium absorption, 435

Robinson, William. Free and bound water determinations by the heat of fusion of ice method, 699

Roepke, Martin H. See ORT and ROEPKE, xix

Ronzoni, Ethel. The source of energy of nerve activity, iii

Rose, Anton R., and **Schattner, Fred.** Preservative for small blood samples sent through the mails, xvii

Rose, Catherine S. See SHOHL, BROWN, ROSE, SMITH, and COZAD, x, 711

Rose, Embree R. See MUNTWYLER, ROSE, and MYERS, xc

Rose, William C., Ellis, Ruth H., Windus, Wallace, and **Catherwood, Florence L.** Feeding experiments with mixtures of highly purified amino acids. A preliminary report, lxvi

Rothwell, Carmen S. See ELLIS, ROTHWELL, and POOL, 385

Rowe, L. W. See KAMM, GROTE, and ROWE, lxix

S

St. John, J. L., and **Johnson, Otto.** The determination of uric acid in the study of avian nutrition, 41

Sankstone, M. I. See AUSTIN, SMALLEY, and SANKSTONE, xviii

Schattner, Fred. See ROSE and SCHATTNER, xvii

Schmidt, Carl L. A. See CZARNETZKY and SCHMIDT, 453

—. See EMERSON, KIRK, and SCHMIDT, 449

Schmidt, L. H. See TASHIRO and SCHMIDT, lviii

Schott, Hermann F. See BORSOOK and SCHOTT, 535, 559

Scott, D. A. Further studies on crystalline insulin, 281

—. See CHARLES and SCOTT, 289

Sebrell, W. H. See SULLIVAN, HESS, and SEBRELL, lxvii

Seibert, Florence B., and **Munday, Betty.** The nitrogen and amino acid content of various tuberculins, lxvii

Shambaugh, Noel F., Lewis, Howard B., and **Tourtellotte, Dee.** Comparative studies of the metabolism of the amino acids. IV. Phenylalanine and tyrosine, 499

Sheppard, Fay. See EVERETT and SHEPPARD, xxv

Shohl, Alfred T., Brown, Helen Bennett, Rose, Catherine S., Smith, Donalda N., and **Cozad, Florence.** The acid-base equilibrium of rats in rickets and tetany, x

—, —, —, —, and **Cozad, Florence.** Rickets in rats. XII. The acid-base equilibrium of the blood in rickets and tetany, 711

Shönheimer, Rudolf. Is unirradiated ergosterol absorbable? v

Sinclair, Robert Gordon. The metabolism of the phospholipids. III. The comparative influence of various fats on the degree of unsaturation of the phospholipids and neutral fat in the tissues of the rat, 245

Slight, David. See HILL, LONG, and SLIGHT, lxxxi

Smalley, C. J. See AUSTIN, SMALLEY, and SANKSTONE, xviii

Smith, Arthur H., Yudkin, Arthur M., Kriss, Max, and **Zimmerman, Harry M.** Vitamin A content of retinal and choroidal tissue, xcii

Smith, Donalda N. See SHOHL, BROWN, ROSE, SMITH, and COZAD, x, 711

Smith, H. Gregg. The composition of the unsaturated fatty acids of animal tissues, xxxv

—. See FREYTAG and SMITH, xcii

Smith, Margaret Elizabeth. See SURE, SMITH, KIK, and WALKER, viii

Smullen, J. J. See TWEEDY and SMULLEN, lv

Smythe, C. V. The titration of hydroxy organic acids in the presence of ferric and cupric salts, 233

Sokoloff, B. F. See PARFENTJEV, DEVRIENT, and SOKOLOFF, 33

Somogyi, Michael. The nature of blood sugar, xxii

Sperry, Warren M. The lipid content of the intestinal mucosa, xxxiii

Sprunt, Douglas H. The influence of Roentgen rays on the acid-base equilibrium, 605

Stadie, William C., and **O'Brien, Helen.** Does any carbon dioxide in the blood exist as carbhemoglobin? xxvii

Stearns, Genevieve, and **Knowlton, G. Clinton.** The lack of relationship between the calcium, protein, and inorganic phosphorus of the serum of non-nephritic children, xii, 639

Steenbock, H. See KLETZIEN, THOMAS, TEMPLIN, and STEENBOCK, ix

Streeter, L. R. See PEARCE and STREETER, 743

Stull, Arthur, Cooke, Robert A., and Chobot, Robert. The allergically active substance in ragweed pollen. A chemical and biological study, 569

Sullivan, M. X., Hess, W. C., and Sebrell, W. H. Preliminary studies on amino acid toxicity and amino acid balance, lxvii

Sunderman, F. William. Diminution in chloride measurement after drying blood and tissues, lxxi

— and **Williams, Priscilla.** Diminution in chloride measurement after drying blood and tissues, 99

Sure, Barnett, Smith, Margaret Elizabeth, Kik, M. C., and Walker, Dorothy J. The specific effect of vitamin B on lactation, growth, and blood chemistry, viii

Swingle, W. W. See HARROP, SWINGLE, and PFIFFNER, lvi

T

Tashiro, Shiro, and Schmidt, L. H. Further studies in the relationship between thyroxine and bile salts, lviii

Tauber, Henry, and Kleiner, Israel S. Studies on crystalline urease. III. The toxicity of crystalline urease, 177

Templin, V. M. See KLETZIEN, THOMAS, TEMPLIN, and STEENBOCK, ix

Thomas, B. H. See KLETZIEN, THOMAS, TEMPLIN, and STEENBOCK, ix

Tipson, R. Stuart. See LEVENE and TIPSON, 109

Torbet, Virginia, and Bradley, H. C. Studies of peptic activity. The liberation of arginine and tyrosine complexes in peptic proteolysis, lxxvii

Tourtellotte, Dee. See SHAMBAUGH, LEWIS, and TOURTELLOTTE, 499

Turner, Mary E. A simplification of the Okey method for the determination of cholesterol, xci

—. A simplification of the Okey method for the determination of cholesterol by oxidation of the digitonide, 495

Turner, R. G. Blood alcohol estimation and its relation to intoxication, lxxxvi

— and **Matthews, C. W.** The iodine content of blood in certain pathological conditions, lxxxviii

Turner, William A., Kane, E. A., and Hale, W. S. The comparative effectiveness, in a cow's ration, of supplements of phosphorus in the form of orthophosphoric acid, mono-, di-, and trisodium phosphate, xiv

Tweedy, Wilbur R., and Smullen, J. J. Studies on the plasma calcium-raising principle of bovine parathyroid glands. II. Attempts at purification, lv

Tyner, James. See HUBBARD, MUNFORD, TYNER, and ALLISON, xxix

U

Ullmann, H. J. See BISCHOFF, MAXWELL, and ULLMANN, lxxx

V

du Vigneaud, Vincent. The "heat precipitate" of crystalline insulin, liv

W

Walker, Dorothy J. See SURE, SMITH, KIK, and WALKER, viii

Walker, Reed. See NELSON, WALKER, and JONES, vi

Watson, E. M. See LAUGHTON, MACALLUM, RABINOWITCH, and WATSON, xx

Way, Charles T. See MUNTWYLER, MYERS, and WAY, 721

—. See MUNTWYLER, WAY, and POMERENE, 733

Weare, John H. See COHN, MCMEEKIN, EDSALL, and WEARE, xliv

Wendel, W. B. Induced oxidations in blood. Acceleration of respiration of red blood cells by cyanide, xlvii

West, Edward S. An improved lactic acid apparatus, 483

—. Reducing substances in urine, xxiv

West, Randolph. See DAKIN and WEST, 117

Wigman, Helen B. See COX, DODDS, WIGMAN, and MURPHY, xi

Wilkins, W. E. See CULLEN, HARRISON, CALHOUN, WILKINS, and PILCHER, iv

Williams, Priscilla. See SUNDERMAN and WILLIAMS, 99

Wilson, D. Wright. See WOLFF and WILSON, lx

Windus, Wallace. See ROSE, ELLIS, WINDUS, and CATHERWOOD, lxvi

Witzemann, Edgar J. The oxidation of α-hydroxy fatty acids *in vitro* and the shifting point of rupture in these acids, xxxii

Wolff, William A., and **Wilson, D. Wright.** The extractives of dog muscle, lx

Wood, J. Edwin. See CHANUTIN, FERRIS, and WOOD, lxxxii

Y

Yasuda, Morio. Contributions to the micro determination of cholesterol, 303

Young, E. Gordon, and **Musgrave, Forrest F.** The influence of electrolytes on the gelation of methylamine urate, li

Yudkin, Arthur M. See SMITH, YUDKIN, KRISS, and ZIMMERMAN, xcii

Z

Zimmerman, Harry M. See SMITH, YUDKIN, KRISS, and ZIMMERMAN, xcii

INDEX TO SUBJECTS

A

Absorption:
Calcium, acid-base, diet, effect (Robinson and Duncan) 435
—, hydrogen ion concentration, intestine, effect (Robinson and Duncan) 435
—, lactose effect (Robinson and Duncan) 435
Ergosterol, unirradiated (Schönheimer) v

Acetyl monoses:
VII (Levene and Tipson) 109

Acid:
Liver, tribasic, convertible into pyrrole derivatives (Dakin and West) 117

Acid-base:
Diet value, calcium absorption, influence (Robinson and Duncan) 435
— —, hydrogen ion concentration, intestine, effect (Robinson and Duncan) 435
Equilibrium, blood, rickets (Shohl, Brown, Rose, Smith, and Cozad) 711

Acid-base—*continued:*
Equilibrium, blood, tetany (Shohl, Brown, Rose, Smith, and Cozad) 711
—, rickets (Shohl, Brown, Rose, Smith, and Cozad) x
—, Roentgen rays influence (Sprunt) 605
—, tetany (Shohl, Brown, Rose, Smith, and Cozad) x

Adrenal:
Cortical hormone, metabolism effects (Harrop, Swingle, and Pfiffner) lvi

Age:
Muscle, striated, phosphorus distribution, influence (Cole) xv
Phosphorus distribution, muscle, striated, influence (Cole) xv

Aglucones:
Strophanthidin and, Ring II (Jacobs and Gustus) 323

Albumin:
Blood serum, molecular weight determination (Burk) xl

Alcohol:
Acid, insulin, effect (Charles and Scott) 289
Blood, determination (Turner) lxxxvi
—, —, intoxication relation (Turner) lxxxvi
Determination, blood (Turner) lxxxvi
Intoxication determination, cerebrospinal fluid analysis (Gettler and Freireich) 199
Alkalinity:
Urine, morning (Hubbard, Munford, Tyner, and Allison) xxix
Allergy:
Ragweed pollen (Stull, Cooke, and Chobot) 569
Aluminum:
Phosphorus metabolism, effect (Cox, Dodds, Wigman, and Murphy) xi
Amino acid(s):
Aliphatic, solubility (Cohn, McMeekin, Edsall, and Weare) xliv
Anemia, milk diet, effect (Drabkin and Miller) lxi
Balance (Sullivan, Hess, and Sebrell) lxvii
Feeding, purified (Rose, Ellis, Windus, and Catherwood) lxvi
Metabolism. IV (Shambaugh, Lewis, and Tourtellotte) 499
Amino acid(s)—*continued:*
Protein metabolism, endogenous, stimulation (Luck and Amsden) lxv
Toxicity (Sullivan, Hess, and Sebrell) lxvii
Tuberculins (Seibert and Munday) lxvii
Amylase:
Determination, Wohlgemuth and viscometric methods, comparison (Chesley) 171
Anemia:
Nutritional, amino acids effect (Drabkin and Miller) lxi
—, copper supplement variations (Mitchell and Miller) 421
—, iron action on reticulocyte and red blood cell response in (Beard and Myers) lxii
—, — supplement variations (Mitchell and Miller) 421
—, — therapy, body weight and hemoglobin increase, relationship (Beard) lxxxix
—, manganese supplement variations (Mitchell and Miller) 421
Animal:
Tissues, fatty acids, unsaturated, composition (Smith) xxxv
Antiketogenesis:
See Ketogenesis.
Antimony trichloride:
Vitamin A, color test (Brode and Magill) 87

Antioxidant:
Natural, lettuce, isolation (Olcovich and Mattill) xxxi

Apparatus:
Electrode, quinhydrone-collodion (Bugher) 513
Lactic acid (West) 483

Appetite:
Diet effect (Graham and Griffith) lxiii

Apple:
Pigment formation, light effect (Pearce and Streeter) 743

***l*-Arabinose:**
Alkali, dilute, influence (Austin, Smalley, and Sankstone) xviii

Arginine:
Complex liberation, peptic proteolysis (Torbet and Bradley) lxxvii

Ascitic fluid:
Bicarbonate, blood plasma and, comparison (Muntwyler, Way, and Pomerene) 733
Chloride, blood plasma and, comparison (Muntwyler, Way, and Pomerene) 733

Autoxidation:
Oxidation-reduction systems, rate (Barron) xlvi
— —, —, free energy relation (Barron) xlvi

B

Bacillus:
Timothy, lipoids (Pangborn and Anderson) xxxii

Benzoic acid:
Conjugation, man (Quick) 65

Beryllium:
Rickets (Branion, Guyatt, and Kay) xi

Bicarbonate:
Blood cells and plasma, distribution between (Muntwyler, Myers, and Way) 721
(Muntwyler, Rose, and Myers) xc
—, distribution (Muntwyler, Myers, and Way) 721
(Muntwyler, Rose, and Myers) xc
— plasma and ascitic fluid, comparison (Muntwyler, Way, and Pomerene) 733
— — — cells, distribution between (Muntwyler, Myers, and Way) 721
(Muntwyler, Rose, and Myers) xc
— — — cerebrospinal fluid, comparison (Muntwyler, Way, and Pomerene) 733

Bile salts:
Thyroxine and, relationship (Tashiro and Schmidt) lviii

Biological fluids:
Sugars, Molisch (α-naphthol) reactions (FOULGER) 345

Biological systems:
Electrical forces. I (COHN, MCMEEKIN, EDSALL, and WEARE) xliv

Blood:
Acid-base equilibrium, rickets (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
— —, tetany (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
Alcohol, determination (TURNER) lxxxvi
—, intoxication relation (TURNER) lxxxvi
Analysis. I (BENEDICT) 135
—. II (BENEDICT) 141
—. III (BENEDICT and BEHRE) 161
Bicarbonate distribution, disease (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
Bromide distribution. I (HASTINGS and VAN DYKE) 13
— —. II (VAN DYKE and HASTINGS) 27
—, *in vitro*, distribution (HASTINGS and VAN DYKE) 13
Blood—*continued:*
Bromides distribution, sodium bromide ingestion effect (VAN DYKE and HASTINGS) 27
Carbon dioxide, carbhemoglobin relation (STADIE and O'BRIEN) xxvii
Chloride diminution, drying effect (SUNDERMAN and WILLIAMS) 99
(SUNDERMAN) lxxi
— distribution, disease (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
—, *in vitro*, distribution (HASTINGS and VAN DYKE) 13
Chlorides distribution, sodium bromide ingestion effect (VAN DYKE and HASTINGS) 27
Cholesterol, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Fatty acids, phospholipid, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
— —, total, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Hemoglobin determination, Wu's method (BING and BAKER) 589
—, thyroid enlargement (REMINGTON) lxxix
Hydrogen ion concentration determination, quinhydrone electrode (HANKE) xlix

Blood—*continued:*
Iodine, disease (TURNER and MATTHEWS) lxxxviii
Iron, determination, colorimetric (REIS and CHAKMAKJIAN) 59
Nitrogen (NELSON and COLE) xxviii
Oxidations, induced (WENDEL) xlvii
Phosphate curves, glucose administration effect (MCCULLAGH) xvi
Phospholipid fatty acids, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Phosphorus distribution, lactation, dietary fat, relation (MCCAY and MAYNARD) 273
Preservation (ROSE and SCHATTNER) xvii
Proteins, precipitation (BENEDICT) 135
Saccharoids, determination (BENEDICT) 141
Sugar, determination (BENEDICT) 141
—, duodenal extract action (LAUGHTON, MACALLUM, RABINOWITCH, and WATSON) xx
—, nature (SOMOGYI) xxii
Uric acid determination (BENEDICT and BEHRE) 161
— — distribution (BENEDICT and BEHRE) 161
Blood—*continued:*
Vitamin B effect (SURE, SMITH, KIK, and WALKER) viii
Blood cell(s):
Bicarbonate, blood plasma and, distribution between, disease (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
Chloride, blood plasma and, distribution between, disease (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
Red, anemia, nutritional, iron action (BEARD and MYERS) lxii
—, respiration acceleration, cyanide (WENDEL) xlvii
Blood plasma:
Bicarbonate, ascitic fluid and, comparison (MUNTWYLER, WAY, and POMERENE) 733
—, blood cells and, distribution between, disease (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
—, cerebrospinal fluid and, comparison (MUNTWYLER, WAY, and POMERENE) 733
Calcium-raising principle, parathyroid glands. II (TWEEDY and SMULLEN) lv

Blood plasma—*continued:*
Calcium-raising principle, parathyroid glands, purification (TWEEDY and SMULLEN) lv
Chloride, ascitic fluid and, comparison (MUNTWYLER, WAY, and POMERENE) 733
—, blood cells and, distribution between, disease (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
—, cerebrospinal fluid and, comparison (MUNTWYLER, WAY, and POMERENE) 733
Fats, mental depression (HILL, LONG, and SLIGHT) lxxxi
Hydrogen ion concentration, determination, colorimetric, Cullen correction (MUNTWYLER and MYERS) xlviii
Phosphatase, hyperparathyroidism, experimental (BODANSKY and JAFFE) xvi
Proteins, diffusibility (GAEBLER) xliii

Blood serum:
Albumin, molecular weight determination (BURK) xl
Calcium, protein, and phosphorus, inorganic, nonnephritic children, nonrelationship (STEARNS and KNOWLTON) xii, 639

Blood serum—*continued:*
Calcium, protein, and phosphorus, inorganic, parturition, relation (OBERST and PLASS) xiii
—, —, — —, inorganic, pregnancy, relation (OBERST and PLASS) xiii
—, —, — —, inorganic, puerperium, relation (OBERST and PLASS) xiii
—, —, — —, inorganic, relation (OBERST and PLASS) xiii
Hydrogen ion concentration determination, quinhydrone electrode (HANKE) xlix
Phosphorus, inorganic, calcium, and protein, parturition, relation (OBERST and PLASS) xiii
—, —, —, — protein, pregnancy, relation (OBERST and PLASS) xiii
—, —, —, — protein, puerperium, relation (OBERST and PLASS) xiii
—, —, —, — protein, relation (OBERST and PLASS) xiii
—, —, protein, and calcium, non-nephritic children, non-relationship (STEARNS and KNOWLTON) xii, 639
Protein, calcium, and phosphorus, inorganic, nonnephritic children, nonrelationship (STEARNS and KNOWLTON) xii, 639

Blood serum—*continued:*
Protein, phosphorus, inorganic, and calcium, parturition, relation (OBERST and PLASS) xiii
—, —, —, — calcium, pregnancy, relation (OBERST and PLASS) xiii
—, —, —, — calcium, puerperium, relation (OBERST and PLASS) xiii
—, —, —, — calcium, relation (OBERST and PLASS) xiii

Brain:
Fatty acids, unsaturated (BROWN) lxxxviii
— —, —, nature (BROWN) lxxxviii

Bromide(s):
Blood, distribution. I (HASTINGS and VAN DYKE) 13
—, —. II (VAN DYKE and HASTINGS) 27
—, —, sodium bromide ingestion effect (VAN DYKE and HASTINGS) 27
—, *in vitro*, distribution (HASTINGS and VAN DYKE) 13

Butter fat:
Vitamin A, mineral oil effect on nutritional economy of (JACKSON) vii

Butylmethane:
Iso-, methyl-, series, hydrocarbons, optical rotations (LEVENE and MARKER) 455

C

Calcium:
Absorption, acid-base, diet, effect (ROBINSON and DUNCAN) 435
—, hydrogen ion concentration, intestine, effect (ROBINSON and DUNCAN) 435
—, lactose effect (ROBINSON and DUNCAN) 435
Blood serum, children, nonnephritic, blood serum protein and inorganic phosphorus, non-relationship (STEARNS and KNOWLTON) xii, 639
— —, parturition, blood serum protein and phosphorus, inorganic, relation (OBERST and PLASS) xiii
— —, pregnancy, blood serum protein and phosphorus, inorganic, relation (OBERST and PLASS) xiii
— —, protein, and phosphorus, inorganic, relation (OBERST and PLASS) xiii
— —, puerperium, blood serum protein and phosphorus, inorganic, relation (OBERST and PLASS) xiii
Conservation, vitamin D relation (KLETZIEN, THOMAS, TEMPLIN, and STEENBOCK) ix

Calcium—*continued:*
Dietary, parathyroid extract response, effect (MORGAN and GARRISON) xciv
-Phosphorus ratio, tibiæ, growing chick (HOLMES, PIGOTT, and CAMPBELL) 187
-Raising principle, blood plasma, parathyroid glands. II (TWEEDY and SMULLEN) lv
— —, — —, parathyroid glands, purification (TWEEDY and SMULLEN) lv

Cancer:
Glandular extirpation effect (BISCHOFF, MAXWELL, and ULLMANN) lxxx
Hormones. III (BISCHOFF, MAXWELL, and ULLMANN) lxxx

Carbhemoglobin:
Blood, carbon dioxide relation (STADIE and O'BRIEN) xxvii

Carbon dioxide:
Blood, carbhemoglobin relation (STADIE and O'BRIEN) xxvii
Compounds, hemoglobin solutions (HENRIQUES) 1

Catalase:
Hydrogen peroxide, destruction (MORGULIS) 377
Inactivation. III (MORGULIS) 377

Cerebrospinal fluid:
Alcoholic intoxication determination, by analysis of (GETTLER and FREIREICH) 199
Bicarbonate, blood plasma and, comparison (MUNTWYLER, WAY, and POMERENE) 733
Chloride, blood plasma and, comparison (MUNTWYLER, WAY, and POMERENE) 733

Chemical constitution:
Aglucones, related to strophanthidin (JACOBS and GUSTUS) 323
Diacetone galactose (LEVENE and MEYER) 257
Hydrocarbons. III (LEVENE and MARKER) 455
Strophanthidin (JACOBS and GUSTUS) 323

Children:
Non-nephritic, blood serum calcium, protein, and phosphorus, inorganic, non-relationship (STEARNS and KNOWLTON) xii, 639

Chloride(s):
Blood cells and plasma, distribution between (MUNTWYLER, MYERS, and WAY 721
(MUNTWYLER, ROSE, and MYERS) xc
—, diminution after drying (SUNDERMAN and WILLIAMS) 99
(SUNDERMAN) lxxi

Chloride(s)—*continued:*
Blood, distribution (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
—, —, sodium bromide ingestion effect (VAN DYKE and HASTINGS) 27
—, *in vitro*, distribution (HASTINGS and VAN DYKE) 13
— plasma and ascitic fluid, comparison (MUNTWYLER, WAY, and POMERENE) 733
— — — cells, distribution between (MUNTWYLER, MYERS, and WAY) 721
(MUNTWYLER, ROSE, and MYERS) xc
— — — cerebrospinal fluid, comparison (MUNTWYLER, WAY, and POMERENE) 733
Tissues, diminution after drying (SUNDERMAN and WILLIAMS) 99
(SUNDERMAN) lxxi

Cholesterol:
Blood, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Determination, micro (YASUDA) 303
—, Okey method simplified (TURNER) xci, 495

Choroid:
Vitamin A (SMITH, YUDKIN, KRISS, and ZIMMERMAN) xcii

Citric acid:
Determination, citric acid enzyme, cucumber seeds (ADAMS) lxxiv
Enzyme, cucumber seeds, citric acid determination (ADAMS) lxxiv

Collodion:
Quinhydrone-, electrode (BUGHER) 513

Copper:
Anemia, nutritional, supplement variations (MITCHELL and MILLER) 421

Copper sulfate:
Lipase, influence (PARFENTJEV, DEVRIENT, and SOKOLOFF) 33

Cottonseed oil:
Fat, body, ingestion effect (ELLIS) xxxv
(ELLIS, ROTHWELL, and POOL) 385

Creatine:
Origin. III (BRAND and HARRIS) lix

Cucumber:
Seeds, citric acid enzyme, citric acid determination (ADAMS) lxxiv

Cullen:
Hydrogen ion concentration, blood plasma, colorimetric determination, correction (MUNTWYLER and MYERS) xlviii

Cupric salts:
Hydroxy organic acids titration, influence (SMYTHE) 233

Cyanide(s):
Blood cells, red, respiration acceleration (WENDEL) xlvii
Cysteine oxidation, action (GERWE) 525
Dialuric acid oxidation, spontaneous, effect (HILL) 471
Cysteine:
Autoxidation, iron-free (GERWE) 399
Oxidation, cyanide action (GERWE) 525
—, cystine action (GERWE) 525
—, spontaneous. II (GERWE) 399
—, —. III (GERWE) 525
Cystine:
Cysteine oxidation, action (GERWE) 525
-Deficient diet, thiopyruvic acid derivatives (BLOCK and JACKSON) xci
Cystine phenylhydantoin:
Decomposition (BERGMANN, ANDREWS, and ANDREWS) xxxvii

D

Diabetes:
Ketonuria, insulin effect (BEHRE) 679
Diacetone galactose:
Ring structure (LEVENE and MEYER) 257
Dialuric acid:
Oxidation, spontaneous, cyanides effect (HILL) 471
—, —, iron effect (HILL) 471
Diet:
Appetite, influence (GRAHAM and GRIFFITH) lxiii
Cystine-deficient, thiopyruvic acid derivatives (BLOCK and JACKSON) xci
Growth, influence (GRAHAM and GRIFFITH) lxiii
Milk, anemia, amino acids effect (DRABKIN and MILLER) lxi
— secretion, effect (KOZLOWSKA and MCCAY) lxiii
Muscle, striated, phosphorus distribution, influence (COLE) xv
Phosphorus distribution, muscle, striated, influence (COLE) xv
Protein-high, nephritis, unilaterally nephrectomized rats (BLATHERWICK, MEDLAR, CONNOLLY, and BRADSHAW) lxxxiv
Sucrose-high, fat effect (EVANS and LEPKOVSKY) 615
Diffusibility:
Blood plasma proteins (GAEBLER) xliii
Digitoxigenin:
Periplogenin, correlation (JACOBS and ELDERFIELD) 313
Strophanthidin, correlation (JACOBS and ELDERFIELD) 313
Dissociation constants:
Apparent, hydroxyvaline (CZARNETZKY and SCHMIDT) 453

Dissociation constants—*continued:*
Apparant, isoserine (Emerson, Kirk, and Schmidt) 449
—, methionine (Emerson, Kirk, and Schmidt) 449
Dithio acids:
Sulfonic and thiol acids production, simultaneous, by mercuric bromide (Preisler) xxxvi
— — — — production, simultaneous, by metallic salts (Preisler) xxxvi
Thiol and sulfonic acids production, simultaneous, by mercuric bromide (Preisler) xxxvi
— — — — production, simultaneous, by metallic salts (Preisler) xxxvi
Diuresis:
Antidiuretic activity, pituitary extracts, posterior. II (Grote, Jones, and Kamm) xcv
— effect, pituitary extracts, posterior (Grote, Jones, and Kamm) xcv
Donnan equilibrium:
(Muntwyler, Way, and Pomerene) 733
Duodenum:
Extract, blood sugar, action (Laughton, Macallum, Rabinowitch, and Watson) xx
Dyestuffs:
Semiquinones, formation from (Michaelis) 211
Dyspnea:
Cardiac, mechanism, respiration control (Cullen, Harrison, Calhoun, Wilkins, and Pilcher) iv

E

Egg:
White, injury (Parsons) lxiv
Electrical forces:
Biological systems. I (Cohn, McMeekin, Edsall, and Weare) xliv
Electrode:
Quinhydrone-collodion (Bugher) 513
Electrolytes:
Methylamine urate gelation, influence (Young and Musgrave) li
Energy:
Free, *l*-malic acid (Borsook and Schott) 559
—, oxidation-reduction systems, autoxidation rate relation (Barron) xlvi
Nerve activity, source (Ronzoni) iii
Enterokinase:
Trypsinogen-, system (Bates) lxxvii
Entropy of formation:
l-Malic acid (Borsook and Schott) 559
Enzyme(s):
Citric acid, cucumber seeds, citric acid determination (Adams) lxxiv

Enzyme(s)—*continued:*
Intestinal loop, transplanted (PIERCE, NASSET, and MURLIN) lxxvi
Succinate-, -fumarate equilibrium, enzyme rôle (BORSOOK and SCHOTT) 535
Succinate-enzyme-fumarate equilibrium, rôle in (BORSOOK and SCHOTT) 535
See also Histaminase, Lipase, Pepsin.

Epinephrine:
Anaerobic action (BUCHWALD and CORI) 355
Calorigenic action (CORI and BUCHWALD) 367
Hepatectomy, calorigenic action (CORI and BUCHWALD) 367
Hexosephosphate, muscle, influence (CORI and CORI) lii
Metabolic effects, prolonged administration (KOEHLER, BISCHOFF, and HILL) li
Muscle hexosephosphate, influence (CORI and CORI) lii

Equilibrium:
Acid-base, blood, rickets (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
—, —, tetany (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
—, rickets (SHOHL, BROWN, ROSE, SMITH, and COZAD) x

Equilibrium—*continued:*
Acid-base, Roentgen rays influence (SPRUNT) 605
—, tetany (SHOHL, BROWN, ROSE, SMITH, and COZAD) x
Succinate-enzyme-fumarate, enzyme rôle (BORSOOK and SCHOTT) 535

Ergosterol:
Absorption, unirradiated (SCHÖNHEIMER) v
Activation, solvents influence (BILLS, HONEYWELL, and COX) 601
Irradiated, milk vitamin D, effect (KRAUSS and BETHKE) x
—, muscle, striated, phosphorus distribution, influence (COLE) xv
—, phosphorus distribution, muscle, striated, influence (COLE) xv
—, vitamin D, milk, effect (KRAUSS and BETHKE) x
Unirradiated, absorption (SCHÖNHEIMER) v

Erythrocyte:
See Blood cell, red.

Estrin:
Feces, hen, occurrence (GUSTAVSON) lxxi
Pituitary lobe, anterior, effect (D'AMOUR) lxxxv

Excretion:
Avian, uric acid determination (ST. JOHN and JOHNSON) 41

Excretion—*continued:*
Ketone bodies. I (BEHRE) 679

F

Fasting:
Ketonuria (BEHRE) 679

Fat(s):
Blood plasma, mental depression (HILL, LONG, and SLIGHT) lxxxi
Body, cottonseed oil ingestion effect (ELLIS) xxxv
(ELLIS, ROTHWELL, and POOL) 385
Dietary, blood phosphorus distribution, lactation, relation (MCCAY and MAYNARD) 273
—, phosphorus distribution, blood, lactation, relation (MCCAY and MAYNARD) 273
Neutral, tissue, unsaturation, fats influence (SINCLAIR) 245
Phospholipids, tissue, unsaturation, influence (SINCLAIR) 245
Sucrose-high diet, effect (EVANS and LEPKOVSKY) 615
Tissue neutral fat unsaturation, influence (SINCLAIR) 245
— phospholipids unsaturation, influence (SINCLAIR) 245

Fatty acids:
α-Hydroxy, oxidation, *in vitro* (WITZEMANN) xxxii

Fatty acids—*continued:*
α-Hydroxy, shifting point of rupture (WITZEMANN) xxxii
Nutrition, rôle (BURR, BURR, and MILLER) xxxvi
Phospholipid, blood, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Total, blood, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Unsaturated, brain (BROWN) lxxxviii
—, —, nature (BROWN) lxxxviii
—, tissues, animal, composition (SMITH) xxxv

Feces:
Hen, estrin occurrence (GUSTAVSON) lxxi

Ferric salts:
Hydroxy organic acids titration, influence (SMYTHE) 233

Fumarate:
Succinate-enzyme-, equilibrium, enzyme rôle (BORSOOK and SCHOTT) 535

G

Galactose:
Antiketogenic value, glucose and, relative (DEUEL, GULICK, and BUTTS) xxiii
Diacetone, ring structure (LEVENE and MEYER) 257

Galactose-6-phosphate:
(LEVENE and RAYMOND) 765

Gastrointestinal:
Temperature (Eberhard, Ricketts, Rieger, and Hepburn) lxxxviii

Gelatin:
Isoelectric point (Hitchcock) xlii
Optical activity, neutral salts action (Johlin) 751

Gelation:
Methylamine urate, electrolytes influence (Young and Musgrave) li

Gitoxigenin:
Periplogenin, correlation (Jacobs and Elderfield) 313
Strophanthidin, correlation (Jacobs and Elderfield) 313

Glands:
Extirpation, cancer, effect (Bischoff, Maxwell, and Ullmann) lxxx

Glucodesoside:
Theophylline-*d*- (Levene and Cortese) 53

Glucose:
Active (Ort and Roepke) xix
—, formation, glucose oxidation, effect (Ort and Roepke) xix
Antiketogenic value, galactose and, relative (Deuel, Gulick, and Butts) xxiii
Blood phosphate curves, effect (McCullagh) xvi

Glucose—*continued:*
3-Methyl-*d*-, γ-glucoside of (Levene and Dillon) 769
Oxidation, active glucose formation effect (Ort and Roepke) xix
Water retention relation (McClendon) xix

γ-Glucoside:
3-Methyl-*d*-glucose (Levene and Dillon) 769

Glutelins:
(Csonka and Jones) xxxix

Glycogen:
Liver, insulin relation (Bodo and Neuwirth) xxv

Goiter:
Simple, involution, inorganic salt metabolism (Baumann) lxxx

Growth:
Diet effect (Graham and Griffith) lxiii
Vitamin B effect (Sure, Smith, Kik, and Walker) viii

H

Hay(s):
Alfalfa, vitamin A, curing effect (Hartman) vii
Timothy, vitamin A, curing effect (Hartman) vii
Vitamin A (Hartman) vii

Heart:
Dyspnea, mechanism, respiration control (Cullen,

Harrison, Calhoun, Wilkins, and Pilcher) iv

Heat of formation:
l-Malic acid (Borsook and Schott) 559

Heat of fusion:
Ice method, water determination (Robinson) 699

Hemoglobin:
Anemia, nutritional, body weight and, iron therapy effect (Beard) lxxxix
Blood, determination, Wu's method (Bing and Baker) 589
—, thyroid enlargement (Remington) lxxix
Determination, Wu peroxidase method (Bing and Baker) lxxiii
—, Wu's method, blood (Bing and Baker) 589
Solutions, carbon dioxide compounds (Henriques) 1

Hepatectomy:
Epinephrine calorigenic action (Cori and Buchwald) 367

Hexosemonophosphates:
(Levene and Raymond) 757, 765

Hexosephosphate:
Muscle, epinephrine influence (Cori and Cori) lii
—, insulin influence (Cori and Cori) lii

Histaminase:
(McHenry and Gavin) lxxv

Hormone(s):
Cancer. III (Bischoff, Maxwell, and Ullmann) lxxx
Male (Funk and Harrow) lxx

Hydrocarbons:
Configurational relationship. III (Levene and Marker) 455
Optical rotations, methylisobutylmethane series (Levene and Marker) 455

Hydrogen ion concentration:
Blood, determination, quinhydrone electrode (Hanke) xlix
— plasma, determination, colorimetric, Cullen correction, (Muntwyler and Myers) xlviii
— serum, determination, quinhydrone electrode (Hanke) xlix
Determination, blood, quinhydrone electrode (Hanke) xlix
—, — serum, quinhydrone electrode (Hanke) xlix
Intestine, acid-base value, diet, effect (Robinson and Duncan) 435
—, lactose effect (Robinson and Duncan) 435

Hydrogen peroxide:
Catalase destruction (Morgulis) 377

Hydroxy acids:
Organic, titration, cupric salts influence (SMYTHE) 233
—, —, ferric salts influence (SMYTHE) 233
α-Hydroxy acids:
Fatty, oxidation, *in vitro* (WITZEMANN) xxxii
—, shifting point of rupture (WITZEMANN) xxxii
Hydroxyvaline:
Dissociation constants, apparent (CZARNETZKY and SCHMIDT) 453
Hyperparathyroidism:
Experimental, blood plasma phosphatase (BODANSKY and JAFFE) xvi
Hypophysis:
Disturbances, specific dynamic response (JOHNSTON) xciii

I

Inorganic constituents:
Determination, tissue (KUTZ) lxxii
Tissue, determination (KUTZ) lxxii
Inorganic salt:
Metabolism, simple goiter involution (BAUMANN) lxxx
Insulin:
Alcohol, acid, action (CHARLES and SCOTT) 289
Anaerobic action (BUCHWALD and CORI) 355
Crystalline (SCOTT) 281
Insulin—*continued:*
Crystalline, "heat precipitate" (DU VIGNEAUD) liv
Diabetes, ketonuria, effect (BEHRE) 679
Glycogen, liver, relation (BODO and NEUWIRTH) xxv
Hexosephosphate, muscle, influence (CORI and CORI) lii
Ketonuria, diabetes, effect (BEHRE) 679
Liver glycogen relation (BODO and NEUWIRTH) xxv
Muscle hexosephosphate, influence (CORI and CORI) lii
Reaction, peculiar, human (CHASE) liii
Integument:
Chemistry. I (MORSE) xxxix
Protein behavior, post mortem (MORSE) xxxix
Intestine:
Enzymes, loop transplanted (PIERCE, NASSET, and MURLIN) lxxvi
Hydrogen ion concentration, acid-base value, diet, effect (ROBINSON and DUNCAN) 435
— — —, lactose effect (ROBINSON and DUNCAN) 435
Mucosa, lipid (SPERRY) xxxiii
Intoxication:
Alcoholic, blood alcohol relation (TURNER) lxxxvi

Intoxication—*continued:*
Alcoholic, determination, cerebrospinal fluid analysis (GETTLER and FREIREICH) 199
Invertase:
Yeast, properties (NELSON and PALMER) lxxviii
Involution:
Goiter, simple, inorganic salt metabolism (BAUMANN) lxxx
Iodine:
Blood, disease (TURNER and MATTHEWS) lxxxviii
Starch-, reaction (FIELD) 413
Iron:
Anemia, nutritional, body weight and hemoglobin increase relationship (BEARD) lxxxix
—, —, reticulocyte and red blood cell response, action (BEARD and MYERS) lxii
—, —, supplement variations (MITCHELL and MILLER) 421
Blood, determination, colorimetric (REIS and CHAKMAKJIAN) 59
Determination, blood, colorimetric (REIS and CHAKMAKJIAN) 59
Dialuric acid oxidation, spontaneous, effect (HILL) 471
Phosphorus metabolism, effect (COX, DODDS, WIGMAN, and MURPHY) xi
Irradiation:
Ergosterol, phosphorus distribution, muscle, striated, influence (COLE) xv
—, unirradiated, absorption (SCHÖNHEIMER) v
Isoelectric point:
Gelatin (HITCHCOCK) xlii
Isoserine:
Dissociation constants, apparent (EMERSON, KIRK, and SCHMIDT) 449

K

Ketogenesis:
Antiketogenic, glucose and galactose, relative values (DEUEL, GULICK, and BUTTS) xxiii
Ketone bodies:
Excretion. I (BEHRE) 679
Urine, normal, daily variations (BEHRE) 679
Ketonuria:
Diabetes, insulin effect (BEHRE) 679
Fasts, short (BEHRE) 679
Ketose:
Urine, normal (EVERETT and SHEPPARD) xxv
Kidney:
Insufficiency (CHANUTIN, FERRIS, and WOOD) lxxxii

L

Lactation:
Blood cholesterol, effect (MAYNARD, HARRISON, and McCAY) 263

Lactation—*continued:*
Blood fatty acids, total, effect (MAYNARD, HARRISON, and MCCAY) 263
— phospholipid fatty acids, effect (MAYNARD, HARRISON, and MCCAY) 263
— phosphorus distribution, dietary fat, relation (MCCAY and MAYNARD) 273
Cholesterol, blood, effect (MAYNARD, HARRISON, and MCCAY) 263
Fat, dietary, blood phosphorus distribution, relation (MCCAY and MAYNARD) 273
Fatty acids, phospholipid, blood, effect (MAYNARD, HARRISON, and MCCAY) 263
— —, total, blood, effect (MAYNARD, HARRISON, and MCCAY) 263
Phospholipid fatty acids, blood, effect (MAYNARD, HARRISON, and MCCAY) 263
Phosphorus distribution, blood, dietary fat, relation (MCCAY and MAYNARD) 273
Vitamin B effect (SURE, SMITH, KIK, and WALKER) viii

Lactic acid:
Apparatus (WEST) 483

Lactose:
Calcium absorption, influence (ROBINSON and DUNCAN) 435

Lactose—*continued:*
Hydrogen ion concentration, intestine, effect (ROBINSON and DUNCAN) 435
Intestine, hydrogen ion concentration, effect (ROBINSON and DUNCAN) 435

Lettuce:
Antioxidant, natural, isolation (OLCOVICH and MATTILL) xxxi

Light:
Apple pigment formation, effect (PEARCE and STREETER) 743
Pigment formation, apple, effect (PEARCE and STREETER) 743

Lipase:
Copper sulfate influence (PARFENTJEV, DEVRIENT, and SOKOLOFF) 33
Sodium taurocholate influence (PARFENTJEV, DEVRIENT, and SOKOLOFF) 33

Lipid(s):
Intestinal mucosa (SPERRY) xxxiii
Liver, unsaponifiable constituents (FREYTAG and SMITH) xcii

Lipoids:
Timothy bacillus (PANGBORN and ANDERSON) xxxii

Liver:
Acid, tribasic, convertible into pyrrole derivatives (DAKIN and WEST) 117

Liver—*continued:*
Glycogen, insulin relation (Bodo and Neuwirth) xxv
Lipids, unsaponifiable constituents (Freytag and Smith) xcii

M

Magnesium:
Deprivation, effect (McCollum and Orent) xxx

***l*-Malic acid:**
Energy, free (Borsook and Schott) 559
Entropy of formation (Borsook and Schott) 559
Heat of formation (Borsook and Schott) 559

Manganese:
Anemia, nutritional, supplement variations (Mitchell and Miller) 421
Deprivation effects (Orent and McCollum) 651
Nutrition relation (Kemmerer, Elvehjem, and Hart) 623

Mental depression:
Blood plasma fats (Hill, Long, and Slight) lxxxi

Mercuric bromide:
Sulfonic and thiol acids production, simultaneous, from dithio acids (Preisler) xxxvi

Mercuric bromide—*continued:*
Thiol and sulfonic acids production, simultaneous, from dithio acids (Preisler) xxxvi

Metabolism:
Adrenal cortical hormone, effects (Harrop, Swingle, and Pfiffner) lvi
Amino acids. IV (Shambaugh, Lewis, and Tourtellotte) 499
Epinephrine, prolonged administration effects (Koehler, Bischoff, and Hill) li
Inorganic salt, simple goiter involution (Baumann) lxxx
Phenylalanine (Shambaugh, Lewis, and Tourtellotte) 499
Phospholipids. III (Sinclair) 245
Phosphorus, aluminum effect (Cox, Dodds, Wigman, and Murphy) xi
—, iron effect (Cox, Dodds, Wigman, and Murphy) xi
Protein, endogenous, amino acid stimulation (Luck and Amsden) lxv
Tyrosine (Shambaugh, Lewis, and Tourtellotte) 499

Methane:
Methylisobutyl-, series, hydrocarbons, optical rotations (Levene and Marker) 455

Methionine:
Dissociation constants, apparent (Emerson, Kirk, and Schmidt) 449
Methylamine urate:
Gelation, electrolytes influence (Young and Musgrave) li
3-Methyl-*d*-glucose:
γ-Glucoside of (Levene and Dillon) 769
Methylisobutylmethane:
Series, hydrocarbons, optical rotations (Levene and Marker) 455
Milk:
Diet, anemia, amino acids effect (Drabkin and Miller) lxi
Secretion, dietary factors (Kozlowska and McCay) lxiii
Vitamin B, ration influence (Hunt and Krauss) 631
— D, irradiated ergosterol effect (Krauss and Bethke) x
— G, ration influence (Hunt and Krauss) 631
Mineral oil:
Butter fat, vitamin A, nutritional economy effect (Jackson) vii
Molecular weight:
Blood serum albumin, determination (Burk) xl
Molisch:
Sugar reactions, biological fluids (Foulger) 345
Monoses:
Acetyl. VII (Levene and Tipson) 109
Muscle:
Extractives, dog (Wolff and Wilson) lx
Hexosephosphate, epinephrine influence (Cori and Cori) lii
—, insulin influence (Cori and Cori) lii
Striated, phosphorus distribution, age influence (Cole) xv
—, — —, diet influence (Cole) xv
—, — —, irradiated ergosterol influence (Cole) xv
Muscular activity:
Temperature and (Dill and Edwards) lxxxvii

N

α-Naphthol:
Sugar reactions, biological fluids (Foulger) 345
Nephritis:
Non-nephritic children, blood serum calcium, protein, and phosphorus, inorganic, non-relationship (Stearns and Knowlton) xii, 639
Protein-high diets, unilaterally nephrectomized rats (Blatherwick, Medlar, Connolly, and Bradshaw) lxxxiv
Nerve:
Activity, energy source (Ronzoni) iii

Nitrogen:
Blood (Nelson and Cole) xxviii
Tuberculins (Seibert and Munday) lxvii
Nucleosides:
Synthetic. III (Levene and Cortese) 53
Nutrition:
Fatty acids, rôle (Burr, Burr, and Miller) xxxvi
Manganese relation (Kemmerer, Elvehjem, and Hart) 623

O

Oil:
Cottonseed. *See* Cottonseed oil.
Mineral. *See* Mineral oil.
Okey:
Cholesterol determination, simplification (Turner) xci, 495
Optical activity:
Gelatin, neutral salts action (Johlin) 751
Optical rotations:
Hydrocarbons, methylisobutylmethane series (Levene and Marker) 455
Orthophosphoric acid:
Phosphorus supplement, ration, effect (Turner, Kane, and Hale) xiv
Oxidation(s):
Biological, pyrrole as catalyst (Bernheim and Bernheim) 461
Oxidation(s)—*continued:*
Fatty acids, α-hydroxy, *in vitro* (Witzemann) xxxii
Induced, blood (Wendel) xlvii
Spontaneous, cysteine. II (Gerwe) 399
—, —. III (Gerwe) 525
Oxidation-reduction:
Systems, autoxidation rate (Barron) xlvi
—, — —, free energy relation (Barron) xlvi

P

Parathyroid:
Extract, response, calcium, dietary, effect (Morgan and Garrison) xciv
—, —, phosphorus, dietary, effect (Morgan and Garrison) xciv
—, —, vitamin D effect (Morgan and Garrison) xciv
Glands, blood plasma calcium-raising principle. II (Tweedy and Smullen) lv
—, — — — principle, purification (Tweedy and Smullen) lv
Parturition:
Blood serum calcium, protein, and phosphorus, inorganic, relation (Oberst and Plass) xiii
— — phosphorus, inorganic, calcium, and protein, relation (Oberst and Plass) xiii

Parturition—*continued:*
Blood serum protein, phosphorus, inorganic, and calcium, relation (OBERST and PLASS) xiii
Pepsin:
Activity (TORBET and BRADLEY) lxxvii
Proteolysis, arginine complex liberation (TORBET and BRADLEY) lxxvii
—, tyrosine complex liberation (TORBET and BRADLEY) lxxvii
Periplogenin:
Digitoxigenin, correlation (JACOBS and ELDERFIELD) 313
Gitoxigenin, correlation (JACOBS and ELDERFIELD) 313
Phenylalanine:
Metabolism (SHAMBAUGH, LEWIS, and TOURTELLOTTE) 499
Phenylhydantoin:
Cystine, decomposition (BERGMANN, ANDREWS, and ANDREWS) xxxvii
Phosphatase:
Blood plasma, hyperparathyroidism, experimental (BODANSKY and JAFFE) xvi
Phosphate:
Blood, curves, glucose administration effect (MCCULLAGH) xvi
Urine, morning (HUBBARD, MUNFORD, TYNER, and ALLISON) xxix
Phospholipid(s):
Fatty acids, blood, lactation cycle (MAYNARD, HARRISON, and MCCAY) 263
Metabolism. III (SINCLAIR) 245
Tissues, unsaturation, fats influence (SINCLAIR) 245
Phosphoric acid:
Ortho-, phosphorus supplement, ration, effect (TURNER, KANE, and HALE) xiv
Phosphorus:
Blood, distribution, lactation, dietary fat relation (MCCAY and MAYNARD) 273
Calcium-, ratio, tibiæ, growing chick (HOLMES, PIGOTT, and CAMPBELL) 187
Dietary, parathyroid extract response, effect (MORGAN and GARRISON) xciv
Inorganic, blood serum, calcium, and protein, relation (OBERST and PLASS) xiii
—, — —, children, nonnephritic, blood serum calcium and protein, nonrelationship (STEARNS and KNOWLTON) xii, 639
—, — —, parturition, blood serum calcium and protein, relation (OBERST and PLASS) xiii
—, — —, pregnancy, blood serum calcium and protein, relation (OBERST and PLASS) xiii

Phosphorus—*continued:*
Inorganic, blood serum, puerperium, blood serum calcium and protein, relation (Oberst and Plass) xiii
Metabolism, aluminum effect (Cox, Dodds, Wigman, and Murphy) xi
—, iron effect (Cox, Dodds, Wigman, and Murphy) xi
Muscle, striated, distribution, age influence (Cole) xv
—, —, —, diet influence (Cole) xv
—, —, —, irradiated ergosterol influence (Cole) xv
Orthophosphoric acid as ration supplement, effect (Turner, Kane, and Hale) xiv
Sodium phosphate, various forms, ration supplement, comparative effect (Turner, Kane, and Hale) xiv

Pigment:
Apple, formation, light effect (Pearce and Streeter) 374

Pituitary:
Anterior lobe, estrin effect (D'Amour) lxxxv
Hormones, interconversion (Kamm, Grote, and Rowe) lxix

Pituitary—*continued:*
Posterior, extracts, antidiuretic activity. II (Grote, Jones, and Kamm) xcv
—, —, — effect (Grote, Jones, and Kamm) xcv
— lobe, β-hormone (Kamm, Grote, and Rowe) lxix

Podarke obscura:
Sulfhydryl compounds, regeneration rate, effect (Morgulis and Green) xcv

Pollen:
Ragweed, allergically active substance (Stull, Cooke, and Chobot) 569

Pregnancy:
Blood serum calcium, protein, and phosphorus, inorganic, relation (Oberst and Plass) xiii
— — phosphorus, inorganic, calcium, and protein, relation (Oberst and Plass) xiii
— — protein, phosphorus, inorganic, and calcium, relation (Oberst and Plass) xiii

Protein(s):
Blood plasma, diffusibility (Gaebler) xliii
—, precipitation (Benedict) 135
— serum, children, nonnephritic, blood serum calcium and inorganic phosphorus, non-relationship (Stearns and Knowlton) xii, 639

Protein(s)—*continued:*
Blood serum, parturition, blood serum phosphorus, inorganic, and calcium, relation (OBERST and PLASS) xiii
— —, phosphorus, inorganic, and calcium, relation (OBERST and PLASS) xiii
— —, pregnancy, blood serum phosphorus, inorganic, and calcium, relation (OBERST and PLASS) xiii
— —, puerperium, blood serum phosphorus, inorganic, and calcium, relation (OBERST and PLASS) xiii
-High diets, nephritis, unilaterally nephrectomized rats (BLATHERWICK, MEDLAR, CONNOLLY, and BRADSHAW) lxxxiv
Integument, behavior, post mortem (MORSE) xxxix
Metabolism, endogenous, amino acid stimulation (LUCK and AMSDEN) lxv
Precipitation, blood (BENEDICT) 135
Proteolysis:
Peptic, arginine complex liberation (TORBET and BRADLEY) lxxvii
—, tyrosine complex liberation (TORBET and BRADLEY) lxxvii
Puerperium:
Blood serum calcium, protein, and phosphorus, inorganic, relation (OBERST and PLASS) xiii
— — phosphorus, inorganic, calcium, and protein, relation (OBERST and PLASS) xiii
— — protein, phosphorus, inorganic, and calcium, relation (OBERST and PLASS) xiii
Pyocyanine:
Semiquinones, formation from (MICHAELIS) 211
Pyrrole:
Liver tribasic acid, relation to derivatives (DAKIN and WEST) 117
Oxidations, biological, catalyst (BERNHEIM and BERNHEIM) 461
Pyruvic acid:
Thio-, derivatives, cystine-deficient diet (BLOCK and JACKSON) xci

Q

Quinhydrone:
-Collodion electrode (BUGHER) 513
Hydrogen ion concentration determination, blood (HANKE) xlix
— — — —, blood serum (HANKE) xlix
Quinones:
Semi-, formation from dyestuffs (MICHAELIS) 211

Quinones—*continued:*
Semi-, formation from pyocyanine (MICHAELIS) 211

R

Ragweed:
Pollen, allergically active substance (STULL, COOKE, and CHOBOT) 569

Ration:
Milk vitamin B, influence (HUNT and KRAUSS) 631
— — G, influence (HUNT and KRAUSS) 631
Phosphorus supplements, orthophosphoric acid as, effect (TURNER, KANE, and HALE) xiv
— —, sodium phosphate, various forms, comparative effect (TURNER, KANE, and HALE) xiv
Vitamin B, milk, influence (HUNT and KRAUSS) 631
— G, milk, influence (HUNT and KRAUSS) 631

Ray:
x-Ray. *See* Roentgen ray.

Reducing substances:
Urine (WEST) xxiv

Regeneration:
Podarke obscura, sulfhydryl compounds effect (MORGULIS and GREEN) xcv

Respiration:
Blood cells, red, cyanide acceleration (WENDEL) xlvii

Respiration—*continued:*
Cardiac dyspnea mechanism, control (CULLEN, HARRISON, CALHOUN, WILKINS, and PILCHER) iv

Retention:
Water, glucose relation (MCCLENDON) xix

Reticulocyte:
Anemia, nutritional, iron action (BEARD and MYERS) lxii

Retina:
Vitamin A (SMITH, YUDKIN, KRISS, and ZIMMERMAN) xcii

Ribosides:
Triacetyl-1-methyl-*d*-, isomeric (LEVENE and TIPSON) 109

Rickets:
XII (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
Acid-base equilibrium (SHOHL, BROWN, ROSE, SMITH, and COZAD) x
— —, blood (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
Beryllium (BRANION, GUYATT, and KAY) xi
Blood acid-base equilibrium (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711

Robison ester:
Synthetic (LEVENE and RAYMOND) 757

Roentgen rays:
Acid-base equilibrium, influence (SPRUNT) 605

S

Saccharoids:
Determination (BENEDICT) 141
Salts:
Neutral, gelatin, optical activity, action (JOHLIN) 751
Semiquinones:
Formation from dyestuffs (MICHAELIS) 211
— — pyocyanine (MICHAELIS) 211
Serine:
Iso-, dissociation constants, apparent (EMERSON, KIRK, and SCHMIDT) 449
Shifting point of rupture:
Fatty acids, α-hydroxy (WITZEMANN) xxxii
Skin:
See Integument.
Sodium bromide:
Blood bromides distribution, ingestion effect (VAN DYKE and HASTINGS) 27
— chlorides distribution, ingestion effect (VAN DYKE and HASTINGS) 27
Bromides, blood, distribution, ingestion effect (VAN DYKE and HASTINGS) 27
Chlorides, blood, distribution, ingestion effect (VAN DYKE and HASTINGS) 27
Sodium phosphate:
Phosphorus supplement source, various forms of, comparative effect (TURNER, KANE, and HALE) xiv
Sodium taurocholate:
Lipase, influence (PARFENTJEV, DEVRIENT, and SOKOLOFF) 33
Specific dynamic action:
Hypophysis disturbances effect (JOHNSTON) xciii
Starch:
-Iodine reaction (FIELD) 413
Strophanthidin:
Digitoxigenin, correlation (JACOBS and ELDERFIELD) 313
Gitoxigenin, correlation (JACOBS and ELDERFIELD) 313
Ring II (JACOBS and GUSTUS) 323
Strophanthin:
XXII (JACOBS and ELDERFIELD) 313
XXIII (JACOBS and GUSTUS) 323
Succinate:
-Enzyme-fumarate equilibrium, enzyme rôle (BORSOOK and SCHOTT) 535
Sucrose:
-High diet, fat effect (EVANS and LEPKOVSKY) 615
Sugar(s):
Biological fluids, Molisch (α-naphthol) reactions (FOULGER) 345

Sugar(s)—*continued:*
Blood, determination (BENEDICT) 141
—, duodenal extract action (LAUGHTON, MACALLUM, RABINOWITCH, and WATSON) xx
—, nature (SOMOGYI) xxii
Determination, blood (BENEDICT) 141
Molisch (α-naphthol) reactions, biological fluids (FOULGER) 345

Sulfhydryl:
Compounds, *Podarke obscura*, regeneration rate, effect (MORGULIS and GREEN) xcv

Sulfonic acids:
Thiol acids and, production, simultaneous, from dithio acids by mercuric bromide (PREISLER) xxxvi
— — —, —, simultaneous, from dithio acids by metallic salts (PREISLER) xxxvi

Suprarenal:
Gland, active constituents, chemistry (KENDALL) lvi

T

Temperature:
Gastrointestinal (EBERHARD, RICKETTS, RIEGER, and HEPBURN) lxxxviii
Muscular activity and (DILL and EDWARDS) lxxxvii

Tetany:
Acid-base equilibrium (SHOHL, BROWN, ROSE, SMITH, and COZAD) x
— —, blood (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711
Blood acid-base equilibrium (SHOHL, BROWN, ROSE, SMITH, and COZAD) 711

Theophylline-*d*-glucodesoside:
(LEVENE and CORTESE) 53

Thiol acids:
Sulfonic acids and, production, simultaneous, from dithio acids by mercuric bromide (PREISLER) xxxvi
— — —, —, simultaneous, from dithio acids by metallic salts (PREISLER) xxxvi

Thiopyruvic acid:
Derivatives, cystine-deficient diet (BLOCK and JACKSON) xci

Thyroid:
Enlargement, hemoglobin, blood (REMINGTON) lxxix

Thyroxine:
Bile salts and, relationship (TASHIRO and SCHMIDT) lviii

Tibiæ:
Calcium-phosphorus ratio, growing chick (HOLMES, PIGOTT, and CAMPBELL) 187

Tibiæ—*continued:*
Phosphorus-calcium ratio, growing chick (HOLMES, PIGOTT, and CAMPBELL) 187
Timothy:
Bacillus, lipoids (PANGBORN and ANDERSON) xxxii
Tissue(s):
Animal, fatty acids, unsaturated, composition (SMITH) xxxv
Chloride diminution, drying effect (SUNDERMAN and WILLIAMS) 99
(SUNDERMAN) lxxi
Choroidal, vitamin A (SMITH, YUDKIN, KRISS, and ZIMMERMAN) xcii
Fat, neutral, unsaturation, fats influence (SINCLAIR) 245
Inorganic constituents, determination (KUTZ) lxxii
Phospholipids, unsaturation, fats influence (SINCLAIR) 245
Retinal, vitamin A (SMITH, YUDKIN, KRISS, and ZIMMERMAN) xcii
Toxicity:
Amino acid (SULLIVAN, HESS, and SEBRELL) lxvii
Urease, crystalline (TAUBER and KLEINER) 177
Triacetyl-1-methyl-*d*-ribosides:
Isomeric (LEVENE and TIPSON) 109
Trypsinogen:
-Enterokinase system (BATES) lxxvii
Tuberculins:
Amino acid (SEIBERT and MUNDAY) lxvii
Nitrogen (SEIBERT and MUNDAY) lxvii
Tyrosine:
Complex liberation, peptic proteolysis (TORBET and BRADLEY) lxxvii
Metabolism (SHAMBAUGH, LEWIS, and TOURTELLOTTE) 499

U

Urease:
Crystalline. . III (TAUBER and KLEINER) 177
—, toxicity (TAUBER and KLEINER) 177
Toxicity, crystalline (TAUBER and KLEINER) 177
Uric acid:
Blood, determination (BENEDICT and BEHRE) 161
—, distribution (BENEDICT and BEHRE) 161
Determination, avian excrement (ST. JOHN and JOHNSON) 41
—, blood (BENEDICT and BEHRE) 161
Urine:
Alkalinity, morning (HUBBARD, MUNFORD, TYNER, and ALLISON) xxix
Ketone bodies, normal (BEHRE) 679

Urine—*continued:*
Ketose, normal (EVERETT and SHEPPARD) xxv
Phosphate, morning (HUBBARD, MUNFORD, TYNER, and ALLISON) xxix
Reducing substances (WEST) xxiv

Ursolic acid:
Dehydrogenation, partial (JACOBS and FLECK) 487

V

Vitamin:
A, alfalfa hay, curing effect (HARTMAN) vii
—, butter fat, mineral oil effect on nutritional economy of (JACKSON) vii
—, choroidal tissue (SMITH, YUDKIN, KRISS, and ZIMMERMAN) xcii
—, color test, antimony trichloride (BRODE and MAGILL) 87
—, determination, preventive method (NELSON, WALKER, and JONES) vi
—, hays, curing effect (HARTMAN) vii
—, retinal tissue (SMITH, YUDKIN, KRISS, and ZIMMERMAN) xcii
—, timothy hay, curing effect (HARTMAN) vii
B, blood, effect (SURE, SMITH, KIK, and WALKER) viii

Vitamin—*continued:*
B, growth, effect (SURE, SMITH, KIK, and WALKER) viii
—, lactation, effect (SURE, SMITH, KIK, and WALKER) viii
—, milk, ration influence (HUNT and KRAUSS) 631
D, calcium conservation, relation (KLETZIEN, THOMAS, TEMPLIN, and STEENBOCK) ix
—, milk, irradiated ergosterol effect (KRAUSS and BETHKE) x
—, overdosage effect. II (LIGHT, MILLER, and FREY) 47
—, parathyroid extract response, effect (MORGAN and GARRISON) xciv
G, milk, ration influence (HUNT and KRAUSS) 631

W

Water:
Bound, determination, heat of fusion of ice method (ROBINSON) 699
Free, determination, heat of fusion of ice method (ROBINSON) 699
Retention, glucose relation (MCCLENDON) xix

Weight:
Body, anemia, nutritional, hemoglobin and, iron therapy effect (BEARD) lxxxix

Wohlgemuth:
Amylase determination, validity (CHESLEY) 171

Wu:
Hemoglobin determination, blood (BING and BAKER) 589
— —, pseudoperoxidase method (BING and BAKER) lxxiii

X

***d*-Xylose:**
Alkali, dilute, influence (AUSTIN, SMALLEY, and SANKSTONE) xviii

Y

Yeast:
Invertase, properties (NELSON and PALMER) lxxviii

1864

uence
and
xviii

(Nel-

xxviii